

COLUMBIA

M.J. MAILLIS GROUP

STTMR 19_(3/4")–25_(1")–32_(1-1/4")**HAND TENSIONER FOR STEEL STRAP WITH SEAL — FLAT AND ROUND SURFACE
USING WITH SEALERS MODEL STP / STPM****TECHNICAL DATA / APPLICATIONS :**

Low cost hand tensioner, easy to use and set. Strong and reliable to use in industrial applications. The particular conformation is able to use straps from 19mm(3/4") up to 32mm(1-1/4") without any adjustments.

Package type	Flat, round and irregular surfaces
Strap quality	Bright—blue—high tensile Rmax=1100 N/mm ²
Strap Width	From 19mm up to 32mm (3/4"- 1-1/4")
Strap thickness	From 0,6mm up to 1mm (0.024"-0.04")
Max.tension / Gear ratio	Around 8500N / Around 1: 28
Weight	Around 4,9 Kg
Order code	108.990.040

- * ERGONOMIC AND MODERN DESIGN
- * LIGHT AND COMPACT
- * EASY TO USE

**COLUMBIA S.r.l. Packing Systems & Materials -Via Della Repubblica, 44 – SOLARO (MI) – ITALY**

TEL. +39.02.96790381 – FAX +39.02.96790397 – columbiatools@columbiatools.net—www.columbiatools.it

STTMR 19 (3/4")-25 (1")-32 (1-1/4")

- EASY AND FAST ADJUSTMENTS
- EASY ACCES TO CLEAN AND TO PERFORM MAINTENANCE



USE THIS SCREW
TO ADJUST THE
STRAP THICKNESS



USE THIS SCREW
TO ADJUST THE
GAP BETWEEN
FEEDWHEEL AND
ROLLER

ANTIFRICTION ROLLER



SAMPLE OF COMBINATION STTMR + STPM



SAMPLE OF COMBINATION STTMR + STP

TYPICAL APPLICATIONS



- * MECHANICAL INDUSTRIES
- * CARPENTRY
- * IRON BANDS, COILS, PIPES
- * METALLURGY
- * WOOD



ALL SPECIFICATIONS ARE CORRECT AT TIME OF PRINT, ARE FOR GUIDANCE PURPOSE ONLY AND SUBJECT TO CHANGE WITHOUT PRIOR NOTICE –09/04

COLUMBIA S.r.l. Packing Systems & Materials -Via Della Repubblica, 44 – SOLARO (MI) – ITALY
TEL. +39.02.96790381 – FAX +39.02.96790397 – columbiatools@columbiatools.net—www.columbiatools.it